

FIG. 1A is a block diagram of a computer system 10. The system 10 includes a central processor 14, system memory 16, and a bus 12. The bus 12 is connected to a network interface 48, an I/O controller 18, and a serial port 28. The network interface 48 is connected to a modem 47. The I/O controller 18 is connected to a keyboard controller 33, which is connected to a keyboard 32. The serial port 28 is connected to a mouse 46. The bus 12 is also connected to a display adapter 26, which is connected to a display screen 24. The bus 12 is further connected to a storage interface 34, which is connected to a fixed disk 44. The bus 12 is also connected to an audio interface 22, which is connected to a speaker system 20. The bus 12 is also connected to a CD-ROM player 40, which is connected to a CD-ROM 42. The bus 12 is also connected to a floppy disk unit 36, which is connected to a floppy disk 38.

Floppy Disk  
38




FIG. 1A




Fig. 1B




Fig. 2




Fig. 3




Fig. 4




Fig. 5A





Fig. 5B

Enterprise Network  
600




Fig. 6






Fig. 7




Fig. 8A

Net  
800




Fig. 8B




Fig. 9

Network  
1000




Fig. 10A




Fig. 10B




Fig. 11




Fig. 12






Fig. 13




Fig. 14




Fig. 15




Fig. 16